


## Family Tent (Unhcr/Isrc/Icsrc Type)

### Basic Specification:

Length x Width - Outer Tent	: 6.60 x 4.00 Mtrs
Length x Width - Inner Tent	: 3.95 x 3.80 Mtrs
Central Height - Outer Tent	: 2.20 Mtrs
Central Height - Inner Tent	: 2.10 Mtrs
Wall Height - Outer Tent	: 1.25 Mtrs
Wall Height - Inner Tent	: 1.15 Mtrs
Entrance Height	: 1.40 Mtrs
No of Vestibules	: 02 Front & Rear




OUTER TENT ROOF	: MADE OF SINGLE LAYER OF POLY/COTTON, WATER AND ROTPROOF, UV TREATED, CANVAS, QUALITY 350 GRAMS.M <sup>2</sup>
OUTER TENT SIDEWALL	: MADE OF SINGLE LAYER OF POLY/COTTON, WATER AND ROTPROOF, UV TREATED, CANVAS, QUALITY 190 GRAMS.M <sup>2</sup>
INNER TENT	: MADE OF SINGLE LAYER OF POLY/COTTON, ROTPROOF, UV TREATED CANVAS, QUALITY 120 GRAMS.M <sup>2</sup>
PACKING	: EACH COMPLETE TENT IN PE BAG.

## Family Frame Tent (Unhcr/Ifrc/Icrc Type)

### Basic Specification:

Length x Width - Outer Tent	: 5.20 x 4.15 Mtrs
Length x Width - Inner Tent	: 3.80 x 3.80 Mtrs
Central Height - Outer Tent	: 2.40 Mtrs
Central Height - Inner Tent	: 2.30 Mtrs
Wall Height - Outer Tent	: 1.50 Mtrs
Wall Height - Inner Tent	: 1.45 Mtrs
Door Height	: 1.60 Mtrs
No. of Vestibules	: One at Front




OUTER TENT ROOF	: MADE OF SINGLE LAYER OF POLY/COTTON, WATER AND ROTPROOF, UV TREATED, CANVAS, QUALITY 350 GRAMS.M <sup>2</sup>
INNER TENT	: MADE OF SINGLE LAYER OF POLY/COTTON, ROTPROOF, UV TREATED CANVAS, QUALITY 120 GRAMS.M <sup>2</sup>
PACKING	: EACH COMPLETE TENT IN A BAG.

## All Weather Tent (Ifrc Type)

### Basic Specification:

Length x Width - Outer Tent	: 5.80 x 4.00 Mtrs
Length x Width - Inner Tent	: 3.95 x 3.80 Mtrs
Central Height - Outer Tent	: 2.20 Mtrs
Central Height - Inner Tent	: 2.10 Mtrs
Wall Height - Outer Tent	: 1.25 Mtrs
Wall Height - Inner Tent	: 1.15 Mtrs
Entrance Height	: 1.40 Mtrs
No of Vēstibules	: 01 Front



OUTER TENT	: MADE OF SINGLE LAYER OF POLY/COTTON, WATER AND ROTPROOF, UV TREATED, CANVAS, QUALITY 320 GRAMS.M <sup>2</sup>
INNER TENT	: MADE OF SINGLE LAYER OF COTTON, ROTPROOF, CANVAS, QUALITY 190 GRAMS.M <sup>2</sup>
PACKING	: EACH COMPLETE TENT IN PE BAG.






## Light Weight Emergency Tent

### Basic Specification:

LENGTH : 5.50 MTRS  
WIDTH : 3.00 MTRS  
HEIGHT : 2.00 MTRS  
SIDE WALL HEIGHT : 1.40 MTRS.

RIDGE POLES : 02 NOS 30 X 2 MM  
STANDING POLES : 03 NOS 30 X 1.20 MM  
SIDE WALL POLES : 10 NOS 25 X .20 MM  
IRON PEGS: : 14 NOS 200 X 9 MM  
IRON PINS : 10 NOS 150 X 6 MM  
WEIGHT : 50.000 KGS



#### OUTER SHELL :

MADE OF SINGLE LAYER NATURAL COLOUR POLY/COTTON CANVAS

WATER AND ROTPROOF WEIGHT : 300 GRAMS M2. +-5% / WATER COLUMN 300 MM +-5%

#### INNER SHELL:

MADE OF SINGLE LAYER DYED RIPSTOP POLY/COTTON SHEETING

WEIGHT: 120GRAMS M2.+5%



PACKING : EACH COMPLETE TENT IN ONE BUNDLE

Light Weight Emergency Tent

## UNHCR Tunnel Tent

### Basic Specification:

LENGTH	: 5.50 METERS
WIDTH	: 3.00 METERS
HEIGHT	: 2.10 METERS
DOOR OPENING	: TWO OF 170 X 60 CMS EACH
WINDOW	: FOUR OF 30 X 40 CMS EACH
VENTILATION	: FOUR OF 20 X 15 CMS EACH
POLES	: FIVE MADE OF FIBER GLASS TENSION RODS
PEGS	: TEN MADE OF STEEL



OUTER TENT: MADE OF WOVEN RIPSTOP STOP POLYESTER CLOTH 150-170 G/M<sup>2</sup>.



INNER TENT : MADE OF POLY / COTTON CLOTH 120-130 G/M<sup>2</sup>.

PACKING : EACH COMPLETE TENT IN A BAG.

## Ridge Tent with Bathtub Style Groundsheet

### Basic Specification:

LENGTH	:	5.50 MTRS
WIDTH	:	3.50 MTRS
CENTRAL HEIGHT	:	2.00 MTRS
WALL HEIGHT	:	1.00 MTRS.
WINDOWS	:	TWO OF 40 X 60 CMS EACH
POLES	:	THREE STANDING & TWO RIDGE MADE OF ALUMINIUM OR STEEL
PINS	:	FOURTEEN, MADE OF STEEL
FLY SHEET	:	OPTIONAL
MALLET	:	ONE, MADE OF IRON





MADE OF SINGLE LAYER OF 100% COTTON OR POLY/COTTON WATER AND  
ROT-PROOF, CANVAS OF 320 G/M<sup>2</sup>  
PACKING: IN HEAVY DUTY CANVAS/PP BAG.



## Double Fly Family Ridge Tent

### Basic Specification:

LENGTH	: 4.00 MTRS
WIDTH	: 3.00 or 4.00 MTRS
CENTRAL HEIGHT	: 2.15 MTRS
WALL HEIGHT	: 1.00 MTRS.
DOOR OPENING	: TWO
WINDOWS	: TWO
POLES	: TWO STANDING & ONE RIDGE MADE OF STEEL OR ALUMINIUM
PEGS	: TWELVE, MADE OF IRON
PINS	: TWELVE, MADE OF IRON
HAMMER	: ONE, MADE OF IRON





BOTH FILES MADE OF SINGLE LAYER OF NATURAL COLOUR WATER AND ROTPROOF COTTON OR POLY/COTTON GANVAS QUALITY 425 G/M<sup>2</sup>.

PACKING : EACH COMPLETE TENT IN A CANVAS/PP BAG.

## Double Fly Double Fold Ridge Tent (DFID Type)

### Basic Specification:

LENGTH	: 4.00 MTRS
WIDTH	: 4.00 MTRS
CENTRAL HEIGHT	: 2.15 MTRS
WALL HEIGHT	: 0.90 MTRS.
DOOR OPENING	: TWO
WINDOWS	: FOUR WITH FLAPE
POLES	: THREE STANDING & TWO RIDGE
PEGS	: FOURTEEN NOS. MADE OF STEEL
MALLET	: ONE, MADE OF IRON



OUTER ROOF : MADE OF SINGLE LAYER OF POLY/COTTON WATER AND ROT-PROOF CANVAS OF 450 G/M<sup>2</sup>.

INNER ROOF : MADE OF TWO LAYER I.E. OUTER POLY / COTTON WATER AND ROT-PROOF CANVAS OF 450 G/M<sup>2</sup> AND INNER DYED COTTON SHEETING CLOTH.



PACKING : IN HESSIAN CLOTH.



## Deluxe Family Ridge Tent

### Basic Specification:

LENGTH	: 4.00 MTRS
WIDTH	: 4.00 MTRS
CENTRAL HEIGHT	: 3.00 MTRS
SIDE WALL HEIGHT	: 1.50 MTRS.
DOOR OPENING	: ONE
WINDOWS	: TWO OF 60 X 40 CMS EACH
VENTILATORS	: TWO OF 15 X 20 X 7.5 CMS EACH /
POLES	: TWO STANDING & ONE RIDGE
SIDE POLES	: EIGHT SIDE PIPE POLES
PAGES	: TEN, MADE OF IRON
PINS	: TEN, MADE OF IRON
HAMMER	: ONE, MADE OF IRON





MADE OF SINGLE LAYER OF NATURAL COLOUR WATER AND ROTPROOF COTTON CANVAS  
QUALITY 450 GRAMS. M<sup>2</sup>  
PACKING : EACH COMPLETE TENT IN A CANVAS BAG.

## Centre Pole Tent (UNHCR Type)

### Basic Specification:

LENGTH	: 4.00 MTRS
WIDTH	: 4.00 MTRS
CENTRAL HEIGHT	: 3.00 MTRS
WALL HEIGHT	: 1.80 MTRS.
DOORS	: TWO
WINDOWS	: TWO OF 60 X 40 CMS EACH
POLES	: ONE
SIDE POLES	: TWELVE
PAGES	: TWELVE, MADE OF IRON
PINS	: TWELVE, MADE OF IRON
HAMMER	: ONE, MADE OF IRON



OUTER FLY : MADE OF SINGLE LAYER OF NATURAL COLOUR WATER AND ROTPROOOF COTTON  
CANVAS QUALITY 450 GRAMS. M<sup>2</sup>.

INNER FLY : MADE OF TWO LAYERS OF CLOTH I.E.,

OUTER SIDE NATURAL COLOUR WATER AND ROTPROOF COTTON CANVAS QUALITY




450 GRAMS. M<sup>2</sup> AND INNER SIDE DYED YELLOW COTTON DUSOOTI CLOTH QUALITY 160 GRAMS. M<sup>2</sup>.

PACKING : EACH COMPLETE TENT IN A CANVAS BAGS.

## Safari Tent

### Basic Specification:

LENGTH	: 4.00 MTRS
WIDTH	: 4.00 MTRS
CENTRAL HEIGHT	: 2.70 MTRS
SIDE WALL HEIGHT	: 1.50 MTRS.
DOOR HEIGHT	: 1.80 MTRS.
DOOR	: ONE
WINDOWS	: TWO
POLES	: ONE CENTRAL PIPE POLE
SIDE POLES	: TWELVE
PAGES	: TWELVE, MADE OF IRON
PINS	: TWELVE, MADE OF IRON
HAMMER	: ONE, MADE OF IRON



MADE OF TWO LAYERS OF CLOTH I.E.,

OUTER SIDE NATURAL COLOR WATER AND ROTPROOF COTTON CANVAS QUALITY 450 GRAMS. M<sup>2</sup>  
AND INNER SIDE DYED YELLOW COTTON DUSOOTI CLOTH.



PACKING : EACH TENT IN A CANVAS BAG.



## Frame Tent (NRC Type)

### Basic Specification:

LENGTH	: 3.80 MTRS
WIDTH	: 3.80 MTRS
CENTRAL HEIGHT	: 2.60 MTRS
WALL HEIGHT	: 1.85 MTRS
DOORS	: ONE
WINDOWS	: SIX OF 60 X 40 CMS EACH
FRAME	: STEEL
PAGES	: NINE, MADE OF IRON
PINS	: TWENTY, MADE OF IRON
HAMMER	: ONE, MADE OF IRON





MADE OF SINGLE LAYER OF SAND COLOR WATER AND ROTPROOF POLY/COTTON  
CANVAS QUALITY 300 GRAMS. M<sup>2</sup>.  
PACKING : IN CARD BOARD CARTONS

## Family Round Tent

### Basic Specification:

SIZE	: 400 CMS DIA
CENTRAL HEIGHT	: 240 CMS
SIDE WALL HEIGHT	: 60 CMS
ENTRANCE HEIGHT	: 140 CMS
DOOR	: ONE
WINDOWS	: TWO
VENTILATORS	: TWO
POLES	: TWO OF STEEL (ONE FOR DOOR & ONE FOR CENTER)
PEGS	: TEN
HAMMER	: ONE
FLYSHEET	: OPTIONAL






FAMILY ROUND TENT MADE OF SINGLE LAYER OF NATURAL COLOUR WATER AND ROT-PROOF COTTON CANVAS QUALITY 325 GRAMS. M<sup>2</sup>.  
PACKING : EACH COMPLETE TENT IN A CANVAS BAG.

## Winterrized Tent (TRC Type)

### Basic Specification:

OUTER TENT SIZE	: 4.20 X 4.20 MTRS
INNER TENT SIZE	: 4.00 X 4.00 MTRS
CENTRAL HEIGHT OF OUTER TNET	: 3.00 MTRS
CENTRAL HEIGHT OF INNER TENT	: 2.70 MTRS.
SIDE WALL HEIGHT	: 1.50 MTRS.
DOOR HEIGHT	: 1.80 MTRS.
DOOR	: ONE
WINDOWS	: TWO
VENTILATORS	: TWO
APPRON	: ONE FOR FLUE PIPE
POLE	: TWELVE SIDE POLE
PEGS	: TWELVE MADE OF IRON
PINS	: TWELVE MADE OF IRON
HAMMER	: TWELVE IRON HAMMER



OUTER TENT MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROTPROOF COTTON CANVAS QUALITY 450 GRAMS. M<sup>2</sup>.

INNER TENT MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROTPROOF COTTON CANVAS QUALITY 300 GRAMS. M<sup>2</sup>.



PACKING : EACH TENT IN A CANVAS BAG.



## Winterrized Tent (ARC Type)

### Basic Specification:

OUTER TENT SIZE	: 4.10 X 4.10 MTRS
INNER TENT SIZE	: 4.05 X 4.05 MTRS
CENTRAL HEIGHT OF OUTER TNET	: 3.40 MTRS
CENTRAL HEIGHT OF INNER TENT	: 2.50 MTRS.
SIDE WALL HEIGHT OF OUTER TENT	: 1.55 MTRS.
SIDE WALL HEIGHT OF INNER TENT	: 1.50 MTRS.
DOOR HEIGHT	: 2.00 MTRS
DOOR	: ONE
WINDOWS	: TWO
APPRON	: ONE FOR FLUE PIPE
POLE	: ONE CENTRAL PIPE POLE
PEGS	: TWELVE MADE OF IRON
PINS	: TWELVE MADE OF IRON
HAMMER	: ONE MADE OF IRON





OUTER TENT : MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROTPROOF COTTON  
CANVAS QUALITY 600 GRAMS M<sup>2</sup>.  
INNER TENT : MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROTPROOF COTTON  
CANVAS QUALITY 300 GRAMS. M<sup>2</sup>.  
PACKING : EACH TENT IN A CANVAS BAG.

## Single Fly Dispensary Tent

### Basic Specification:

LENGTH	: 5.00 MTRS
WIDTH	: 5.00 MTRS
CENTRAL HEIGHT	: 2.70 MTRS
WALL HEIGHT	: 1.70 MTRS.
DOORS	: ONE IN EACH GABLE
WINDOWS	: FOUR OF 40 X 60 CMS EACH
FRAME	: MADE OF ALUMINIUM OR STEEL
PEGS	: EIGHT, MADE OF STEEL
HAMMER	: ONE, MADE OF IRON





GROUP TENT MADE OF SINGLE LAYER OF 100% COTTON WATER AND ROT-PROOF CANVAS OF 425 G/M<sup>2</sup>.  
EACH COMPLETE TENT PACKED IN HEAVY DUTY CANVAS BAGS OR IN WOODEN CASES.

## Multi Purpose Tent (UNHCR/Unicef Type)

### Basic Specification:

LENGTH	: 12 OR 14 MTRS
WIDTH	: 6.00 MTRS
CENTRAL HEIGHT	: 3.60 MTRS
WALL HEIGHT	: 2.00 MTRS.
DOORS	: FOUR OF 2 X 2 MTRS EACH
WINDOWS	: TWELVE OF 40 X 60 CMS EACH
VENTILATORS	: SIX
FRAME	: STEEL OR ALUMINIUM
PEGS	: EIGHTEEN, MADE OF STEEL
HAMMER	: ONE, MADE OF IRON
FLYSHEET	: OPTIONAL



OUTER FLY: MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROT PROOF COTTON CANVAS QUALITY 450 GRAMS. M<sup>2</sup>.

INNE FLY : MADE OF TWO LAYERS OF CLOTH I.E. OUTSIDE NATURAL COLOUR WATER AND ROT PROOF COTTON CANVAS QUALITY 450 GRAMS M2. AND INNER SIDE DYED COTTON SHEETING CLOTH OF 160 GRAMS. M<sup>2</sup>.




PACKING : EACH TENT PACKED IN 5 HEAVY DUTY CANVAS BAGS OR WOODEN BOXES.



## School Tent (UNHCR/Unicef Type)

### Basic Specification:

LENGTH	: 7.00 MTRS
WIDTH	: 6.00 MTRS
CENTRAL HEIGHT	: 2.90 MTRS
WALL HEIGHT	: 2.00 MTRS.
DOORS	: 2.00 MTRS
WINDOWS	: FOUR
FRAME	: MADE OF STEEL OR ALUMINIUM
PEGS	: TWELVE, MADE OF STEEL
PINS	: EIGHTEEN, MADE OF STEEL
HAMMER	: ONE MADE OF IRON



OUTER FLY: MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROT PROOF COTTON CANVAS QUALITY 450 GRAMS. M<sup>2</sup>.

INNE FLY : MADE OF TWO LAYERS OF CLOTH I.E. OUTSIDE NATURAL COLOUR WATER AND ROT PROOF COTTON CANVAS QUALITY 450 GRAMS M2. AND INNER SIDE DYED COTTON SHEETING CLOTH OF 160 GRAMS. M<sup>2</sup>.




PACKING : EACH TENT PACKED IN 5 HEAVY DUTY CANVAS BAGS OR WOODEN BOXES.

## School Tent (Unicef Type)

(Winterized Version)

### Basic Specification:

LENGTH	: 8.00 MTRS
WIDTH	: 5.00 MTRS
CENTRAL HEIGHT	: 3.30 MTRS
SIDEWALL HEIGHT	: 1.80 MTRS.
DOORS	: TWO
WINDOWS	: TWELVE OF 50 X 50 CMS
FRAME	: MADE OF STEEL
PEGS	: STEEL
PINS	: STEEL
HAMMER	: ONE



OUTER FLY: MADE OF SINGLE LAYER OF NATURAL COLOR WATER AND ROT PROOF COTTON CANVAS QUALITY 500 GRAMS. M<sup>2</sup>.



INNER FLY : MADE OF TWO LAYERS OF CLOTH I.E. OUTSIDE NATURAL COLOUR WATER AND ROT PROOF COTTON CANVAS QUALITY 450 GRAMS M2. AND INNER SIDE DYED COTTON SHEETING CLOTH OF 160 GRAMS. M<sup>2</sup>.

PACKING : EACH TENT PACKED IN 5 HEAVY DUTY CANVAS BAGS OR WOODEN BOXES.

## Family Ridge Type in PE Fabric

### Basic Specification:

LENGTH	: 4.00 METERS
WIDTH	: 4.00 METERS
CENTRAL HEIGHT	: 2.20 METERS
SIDEWALL HEIGHT	: 1.50 METERS
DOORS	: TWO
WINDOW	: FOUR OF 30 X 30 CMS EACH
VENTILATIONS	: TWO IN INNER FLY
POLES CENTRE	: THREE MADE OF STEEL
POLES RIDGE	: TWO MADE OF STEEL
POLES SIDEWALL	: SIX MADE OF STEEL
PEGS	: EIGHT MADE OF IRON
PINS	: FOURTEEN MADE OF IRON





OUTER TENT	: MADE OF PE 180-200 GSM OR POLY/COTTON CANVAS 300 GSM
INNER TENT	: MADE OF PE 180/200 GSM OR COTTON CLOTH 200 GSM
PAKING	: EACH TENT IN A P.E. OR CANVAS BAG



## Family Ridge Type in PE Fabric

### Basic Specification:

LENGTH	: 4.00 METERS
WIDTH	: 4.00 METERS
CENTRAL HEIGHT	: 2.20 METERS
SIDEWALL HEIGHT	: 1.50 METERS
DOORS	: TWO
WINDOW	: FOUR OF 30 X 30 CMS EACH
VENTILATIONS	: TWO IN INNER FLY
POLES CENTRE	: THREE MADE OF STEEL
POLES RIDGE	: TWO MADE OF STEEL
POLES SIDEWALL	: SIX MADE OF STEEL
PEGS	: EIGHT MADE OF IRON
PINS	: FOURTEEN MADE OF IRON





OUTER TENT	: MADE OF PE 180-200 GSM OR POLY/COTTON CANVAS 300 GSM
INNER TENT	: MADE OF PE 180/200 GSM OR COTTON CLOTH 200 GSM
PAKING	: EACH TENT IN A P.E. OR CANVAS BAG

## Tunnel Tent (NTH Version)

### Basic Specification:

LENGTH	: 4.00 METERS
WIDTH	: 4.00 METERS
HEIGHT	: 2.00 METERS
DOOR OPENING	: TWO
VENTILATORS	: TWO OF 2 X 2 METERS EACH
POLES	: THREE MADE OF PVC + STEEL
PEGS	: TEN MADE OF IRON
PINS	: TEN MADE OF IRON



OUTER TENT : MADE OF WOVEN PE CLOTH 180-200 GSM OR  
POLY COTTON CANVAS 300 GSM



INNER TENT : MADE OF POLY/COTTON CLOTH 110-125 GSM

PACKING : EACH TENT IN THREE CANVAS BAG

## Multipurpose Tent (MSF Type)

### Basic Specification :

LENGTH	: 7.50 MTRS
WIDTH	: 6.00 MTRS
CENTRAL HEIGHT	: 3.00 MTRS
WALL HEIGHT	: 2.11 MTRS
DOOR HEIGHT	: 1.90x 2, 2.10x2
DOOR WIDTH	: 1.40x 2, 3.50x2
DOORS	: FOUR
WINDOWS	: FOUR
FRAME	: MADE OF ALUMINUM PIPE
VENTILATOR	: TWO
PEGS	: TEN, MADE OF STEEL
PINS	: TWENTY SIX, MADE OF STEEL
HAMMER	: ONE MADE OF IRON




OUTER TENT ROOF	: MADE OF SINGLE LAYER OF POLY/COTTON WATER AND ROTPROOF, UV TREATED CANVAS QUALITY APPROX. 440 GRAMS.M2
OUTER TENT SIDEWALL	: MADE OF SINGLE LAYER OF POLY/COTTON WATER AND RORPROOF, UV TREATED CANVAS QUALITY APPROX. 320 GRAMS.M2
INNER TENT	: MADE OF SINGLE LAYER OF POLY/COTTON WATER AND RORPROOF, UV TREATED CANVAS QUALITY APPROX. 120 GRAMS.M2
GROUND SHEET	: MADE OF APPROX. 540 GRAMS.M2 PVC
DIMENSION UNIT	: 230 x 95 x 35 cm
PACKING UNT	: 2 PVC BUNDLES JOINED TOGETHER AS A SANDWICH PACK.
PACKED VOLUME	: 0.74 M3 PACKED QTY. PER 20' CONTAINER: 36 PACKED QTY PER 40' CONTAINER: 72
OPTIONAL	: INNER TENT MADE OF POLY/COTTON CANVAS APPROX. 130 GRAMS.M2 PARTITION WALLS MADE OF PVC APPROX. 300 GRAMS.M2 SHED NET OF APPROX. 140 GRAMS.M2 UV TREATED



## Sahara Tent

### Basic Specification :

OUTER TENT SIZE	: 5.00x3.50 MTRS
INNER TENT SIZE	: 4.80x3.30 MTRS
CENTRAL HEIGHT OF OUTER TENT	: 2.80 MTRS
CENTRAL HEIGHT OF INNER TENT	: 2.70 MTRS
WALL HEIGHT	: 1.20 MTRS
DOOR HEIGHT	: 1.80 MTRS
DOOR WIDTH	: 1.50 MTRS
DOOR (s)	: ONE
WINDOW	: SIX
CENTRAL POLES	: TWO
RIDGE POLES	: ONE
SIDE WALL POLES	: FOUR
DOOR POLE	: ONE





PEGS	: FORTY
PINS	: TWENTY TWO
HAMMER	: ONE
WEIGHT	: 45 KGS.
DIMENSION UNIT	: 190X30X35 CM
PACKING UNIT	: ONE COMPLETE TENT PACKED IN PE BAG.
PACKED VOLUME	: 0.20 M3
PACKED QTY PER 20' CONTAINER	: 200
PACKED QTY PER 40' HC CONTAINER	: 425

OUTER TENT ROOF	: MADE OF SINGLE LAYER OF POLY/COTTON WATER AND ROTPROOF, UV TREATED CANVAS QUALITY APPROX. 350 GRAMS.M2
OUTER TENT SIDEWALL	: MADE OF SINGLE LAYER OF POLY/COTTON WATER AND RORPROOF, UV TREATED CANVAS QUALITY APPROX. 190 GRAMS.M2
INNER TENT	: MADE OF SINGLE LAYER OF POLY/COTTON RORPROOF AND UV TREATED CANVAS QUALITY APPROX. 120 GRAMS.M2
GROUND SHEET	: MADE OF APPROX. 200 GRAMS.M2 PE, STITCHED WITH INNER TENT IN BATH TUB STYLE

## Marquee Tent

### Basic Specification:

LENGTH	: 16.00 MTRS
WIDTH	: 5.00 MTRS
CENTRAL HEIGHT	: 3.30 MTRS
SIDE WALL HEIGHT	: 1.80 MTRS
DOORS	: FOUR
WINDOWS	: EIGHT
POLES	: FOUR STANDING & THREE RIDGE
SIDE WALL POLE	: THIRTY
PEGS	: THIRTY, MADE OF IRON
PINS	: THIRTY, MADE OF IRON
HAMMER	: ONE MADE OF IRON



MADE OF TWO LAYERS OF DYED OR NATURAL COLOUR WATER AND ROTPROOF COTTON  
CANVAS QUALITY 600 GRAMS. M<sup>2</sup>. AND INNERSIDE DYED YELLOW COTTON DUSOOTI CLOTH.  
PACKING : EACH COMPLETE TENT IN THREE BAGS.